	ı	
•	7	-

	Substitute for form 1449A/PTO		9A/PTO	Complete if Known		
	STA	ATEME	TION DISCLOSURE NT BY APPLICANT by sheets as necessary)	Application Number	10/681,746	
			•	Filing Date	October 8, 2003	
				First Named Inventor	Thomas J.F. Nieland	
			•	Group Art Unit	·	
				Examiner Name		
eet	1	of	5	Attorney Docket Number	MIT 9952	

		,	U.S. PATENT DOCUM	ENTS		
	Cits No.'		US Patent Document	Name of Patentee or Applicant of Cited Document	Date of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number Kind Code ² (if known)				
JW		3,625,214	Higuchi et al.	. 12-07-1971		
W		4,789,734	Pierschbacher	12-06-1988	·	
W		4,906,474	Langer et al.	03-06-1990		
1,1	-	4,925,673	Steiner et al.	05-15-1990		
724		5,925,333	Krieger et al.	07-20-1999		
W		5,962,322	Kozarsky et al.	10-05-1999		
W		6,121,319	Sommers	09-19-2000		
W		6,350,859	Krieger et al.	02-26-2002		
24		6,429,289	Krieger et al.	08-06-2002		

				. F	OREIGN PATENT DOCUMENT	S		_
Examiner Initials*	Cite No.1		Foreign Patent Docu	ment	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	1º
		Office.3	Number ⁴	Kind Code ⁶ (if known)				
W		PCT	WO 96/00288		Mass. Inst. Tech.	01-04-1996		
M		PCT	WO 99/11288		Mass. Inst. Tech.	03-11-1999		
				•				
								
	<u> </u>		L.,		<u> </u>	1		

Examine	1	A 0	Date	000	
Signature	I V .	Bulesuramen	Considered	\bigcirc / \mathcal{D}	100

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SENT TO: Assistant Commission for Patent, Washington, DC 20231.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

¹ Unique citation designation number ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant to place a check mark here if English language Translation is attached.

1	•

nder the Paperwork Reduction Act of 1895, no persons are required to respond to a collection of information unless it contains a wald DMB control comba

nodes con Lubes	MOLE REGIEDOD VCE OL 18	80, no bemoin as	tedanna to terboun to a conscrine in strainerin	OLÍ GENETA A COMENSE A RENO DINOS COMENSE CONTRACA			
	Substitute fo	r form 144	9A/PTO	Complete if Known			
	STATE	MENT	N DISCLOSURE BY APPLICANT	Application Number	10/681,746		
	·	•	•	Filing Date	October 8, 2003		
				First Named Inventor	Thomas J.F. Nieland		
				Group Art Unit			
				Examiner Name			
Sheet	2	of	5	Attorney Docket Number	MIT 9952		

		OTHER ART NON PATENT LITERATURE DOCUMENTS	
Examiner's	Cite	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the	T2
Initials*	No.1	item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s),	
		publisher, city and/or country where published	
		ACTON, et al., "Expression cloning of SR-BI, a CD36-related class B scavenger receptor," J. Biol. Chem. 269:21003-21009 (1994).	
70 1			
-,		ACTON, et al., "Identification of Scavenger receptors SR-B1 as a high density lipoprotein receptor," Science 271:518-520 (1996).	
M			
	-	ARAL et al., "Decreased atherosclerosis in heterozygous low density lipoprotein receptor deficient mice expressing the scavenger receptor BI transgene," J. Biol.	
MI		Chem. 274:2366-2371 (1999).	
		2.000 - 1.00 - 1	
``		BALDINI, et al., "Cloning of a Rab3 Isotype Predominately Expressed in Adipocytes", Proc. Natl. Acad. Sci. U.S.A. 89: 5049-5052 (1992).	
W			
		BRAUN, et al., "Loss of SR-BI expression leads to early onset of occlusive atherosclerosis coronary artery disease, spontaneous myocardial infarctions, severe	
M		cerdiac dysfunction, and premature death in apolipoprotein E-deficient mice," <i>Cir. Res.</i> 90: 270- 276 (2002).	
w		BROWN & GOLDSTEIN, "A receptor-mediated pathway for cholesterol homeostasis," <i>Science</i> 232: 34-47 (1986).	
4		CHARRON, et al., "A Glucose Transport Protein Expressed Predominately in Insulin-responsive Tissues," <i>Proc. Natl. Acad. Sci. USA</i> 86: 2535-2539 (1989).	
MI			
-, <u>,</u>		FREEMAN, et al., "Expression of type I and type II bovine scavenger receptors in Chinese hamster ovary cells: Lipid droplet accumulation and nonreciprocal cross	
W/		competition by acetylated and oxidized low density lipoprotein," <i>Proc. Natl. Acad. Sci. USA</i> 88:4931-4935 (1991).	
		GLASS, et al., "Dissociation of tissue uptake of cholesterol ester from that of apoprotein A-I of rat plasma high density lipoprotein: selective delivery of	
44		cholesterol ester to liver, adrenat, and gonad," <i>Proc. Natl. Acad. Sci. USA</i> 80:5435-5439 (1983).	
15.4		GLASS, et al., "Uptake of high-density Epoprotein-associated apo-protein A-I and cholesterol esters by 16 tissues of the rat in vivo and by adrenal cells and	
W		hepatocytes in vitro," J. Biol. Chem. 260:744-750 (1985).	ŀ

				d
Examiner's		Λ ,	Date	2/1/21-
Signature	l V/ .	DURUSUNSWEWELL	Considered	210100
- 3	LV	1 47000 00 00 00 0		·

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you require to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant to place a check mark here if English language Translation is attached.

PTO	SB/08A (10-98
Approved for use through 10/31/89. (0851-0031
Patent and Trademerk Office: U.S. DEPARTMENT	OF COMMERCE

Under the Paper	nerork Reduction Act of 18	95, no persons ar	e required to respond to a collection of informat	ion unless it contains a valid OMB control number		
	Substitute for	r form 14	49A/PTO	С	omplete if Known	
	STATE	MENT	ON DISCLOSURE BY APPLICANT heets as necessary)	Application Number	10/681,746	
	-	·	·	Filing Date	October 8, 2003	
	٠	•		First Named Inventor	Thomas J.F. Nieland	
				Group Art Unit		
	•			Examiner Name		
Shoot	3	of	5 .	Attorney Docket Number	MIT 9952	

		OTHER ART NON PATENT LITERATURE DOCUMENTS	T,
xaminer's Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	
M		GREGORIADIS, "Liposomes" in <u>Orug Carriers in Biology and Medicine</u> Chapter 14 pp. 287-341 (Academic Press, 1979).	
M		GU, et at., "Scavenger receptor class B, type I-mediated [³ H] cholesterol efflux to high and low density Epoproteins is dependent on Epoprotein binding to the receptor," <i>J. Biol. Chem.</i> 275: 29993-30001 (2000).	
M		GU, et al., "The efficient cellular uptake of high density lipoprotein lipids via scavenger receptor class B type I requires not only receptor-mediated surface binding but also receptor specific lipid transfer mediated by its extracellular domain," <i>J. Biol. Chem.</i> 273:26338-26348 (1998).	
4		HOLM, et al., "Failure of red blood cell maturation in mice with defects in the high-density lipoprotein receptor SR-BI," <i>Blood</i> 99: 1817-1824 (2002).	
M		HUNT & CALDERWOOD, "Characterization and sequence of a mouse hsp70 gene and its expression in mouse cell lines", Gene 87: 199-204 (1990).	
CRI		INARA, et al., "Macrophage Colony-stimulating Factor Regulates Both Activities of Neural and Acidic Cholesteryl Ester Hydrolases in Human Monocyte-derived Macrophages," <i>J. Clin. Invest.</i> 92(2):750-757 (1993).Jl., et al., "Scavenger receptor BI promotes high density lipoprotein-mediated cellular cholesterol efflux," <i>J.</i> Biol. Chem. 272:20982-20985 (1997).	
щ	•	JIAN, et al., "Scavenger receptor class B type I as a mediator of cellular cholesterol efflux to lipoproteins and phospholipid acceptors," J. Biol. Chem. 273: 5599-5606 (1998).	
ly		KAPOOR, et al., "Probing spindle assembly mechanisms with monastrol, a small molecule inhibitor of the mitotic kinesin, Eg5," J. Cell Biol. 150: 975-988 (2000).	
W		KINGSLEY, et al., "Receptor-mediated endocytosis of low density Epoprotein: Somatic cell mutants define multiple genes required for express of surface-receptor activity," <i>Proc. Natl. Acad. Sci. USA</i> 81:5454-5458 (1984).	
W		KDZARSKY, et al., "Overexpression of the HDL receptor SR-BI alters plasma HDL and bile cholesterol levels," Nature 387:414-417 (1997).	

Examiner's V. Rules Warner Considered 2 6 0

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you require to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number ² See attached Kinds of U.S. Patent Documents. ² Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ° For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ° Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ° Applicant to place a check mark here if English language Translation is attached.

Please ty	oe a oho:	rico (+) and	ide this he	-

PTO/SB/DBA (10-98	
Approved for use through 10/31/99. OMB 0851-0031	
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE	~ 1.

Substitute for form 1449A/PTO		Complete if Known			
	STAT	EMENT	ON DISCLOSURE BY APPLICANT theets as necessary)	Application Number	10/681,746
	•	•	:	Filing Date	October 8, 2003
				First Named Inventor	Thomas J.F. Nieland
				Group Art Unit	
				Examiner Name	
Sheet	4	of	5	Attorney Docket Number	MIT 9952

		OTHER ART NON PATENT LITERATURE DOCUMENTS	
Examiner's Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published	T²
M		KOZARSKY, et al., "Gene transfer and hepatic overexpression of the HDL receptor SR-BI reduces atherosclerosis in the cholesterol-fed LDL receptor-deficient mouse," Arterio. Thromb. Vass. Biol. 20: 721-727 (2000).	
M		KRIEGER, "Complementation of Mutations in the LDL Pathway of Receptor-Mediated Endocytosis by Cocultivation of LDL Receptor-Defective Hamster Cell Mutants", Cell 33: 413-422 (1983).	
W		KRIEGER, "Charting the fate of the "good cholesterof": Identification and characterization of the high-density lipoprotein reception SR-BI," Ann. Rev. Biochem. 58:523-558 (1999).	
M		KRIEGER, "Scavenger receptor class B type I is a multiligand HDL receptor that influences diverse physiologic systems," J. Clin. Invest. 108: 793-797 (2001).	
cll		LENCER, et al., "Membrane traffic and the cellular uptake of cholera toxin," <i>Biochim. Biophys. Acta</i> 1450: 177-190 (1999).	
M		MARDONES, et al., "Hepatic cholesterol and bile acid metabolism and intestinal cholesterol absorption in scavenger receptor class B type I-deficient mice," J. Lipid Res. 42: 170-180 (2001).	
		MIETTINEN, et al., "Abnormal lipoprotein metabolism and reversible female infertility in HDL receptor (SR-BI)-deficient mice," J Clinical Invest. 108: 1717-1722 [2001].	
M		PITAS, et al., "Acetoacetylated lipoproteins used to distinguish fibroblasts from macrophages in vitro by fluorescence microscopy," Arterioclerosis 1: 177 (1981).	
M		RIGOTTI, et al., Regulation by adrenocortotropic hormone of the in vitro expression of scavenger receptor class B Type I (SR-BI), a high density lipoprotein receptor, in steroidogenic cells of the murine adrenal gland," <i>J. Biol. Chem.</i> 271:33545-33549 (1996).	
M		SCHAUB, et al., "Recombinant Human Macrophage Colony-Stimulating Factor Reduces Plasma Cholesterol and Carrageenee Grandoma Foam Cell Formation in Watanabe Heritable Hyperlipidemic Rabbits," <i>Arterioscler. Thromb.</i> 14(1):70-76 (1994).	

Examiner's Signature	Dalasutranem	Date Considered	2/6/	H

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you require to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁴ Applicant to place a check mark here if English language Translation is attached.

Sheet

of

5

5

MIT 9952

Substitute for form 1449A/PTO	Complete if Known		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Application Number	10/681,746	
(use as many sheets as necessary)			
	Filing Date	October 8, 2003	
	First Named Inventor	Thomas J.F. Nieland	

Attorney Docket Number

Group Art Unit Examiner Name

		OTHER ART NON PATENT LITERATURE DOCUMENTS	Ţž			
Examiner's Initials*	Cite No.1					
W		SPIRO, et al., "Wortmannin alters the transferrin receptor endocytic pathway in vivo and in vitro," Mal. Biol. Cell. 7: 355-367 (1995).				
0M	•	STEIN, et al., "Metabolism of HDL-cholesteryl ester in the rat, studied with a nonhydrolyzable analog, cholesteryl linoleyl ether," Biochim. Biophys. Acta, 752: 98 (1983).				
M		TEMEL, et al., "Apolipoprotein A-I is necessary for the in vivo formation of high density lipoprotein competent for scavenger receptor BI-mediated cholasteryl ester-selective uptake," <i>J. Biol. Chem.</i> 277(29): 26565-26572 (2002).				
M		TRIGATTI, et al., "Influence of the high density Epoprotein receptor SR-BI on reproductive and cardiovascular pathophysiology," Proc. Nat. Acad. Sci. USA 96: 9322-9327 (1999).				
M		UEDA, et al., "Relationship between expression levels and atherogenesis in scavenger receptor class B, type I transgenics," <i>J. Biol. Chem.</i> 275: 20368-20373 (2000).				
M		UITTENBOGAARD, et al., "Cholesteryl ester is transported from caveolae to internal membranes as part of a caveolin-annexin Il lipid-protein complax," J. Biol. Chem. 277: 4925-4931 (2002).				
	-					

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Date

Considered

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you require to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

MIT 9952 701350/00207

06

Examiner's

Signature

¹ Unique citation designation number 2 See attached Kinds of U.S. Patent Documents. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). * For Japanese patent documents, the indication of the year of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. • Applicant to place a check mark here if English language Translation is attached.